

Safety data sheet

Argon, refrigerated liquid.

Creation date : 27.01.2005
Revision date : 20.12.2010

Version : 4.0

DE / E

SDS No. : 8301
page 1 / 2

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Product name

Argon, refrigerated liquid.
EC No (from EINECS): 231-147-0
CAS No: 7440-37-1
Index-Nr. -

Chemical formula Ar

REACH Registration number:

Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.

Known uses

Not known.

Company identification

Linde AG, Linde Gas Division, Seitnerstraße 70, D-82049 Pullach
E-Mail Address Info@de.linde-gas.com
Emergency phone numbers (24h): 089-7446-0

2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification acc. to Regulation (EC) No 1272/2008/EC (CLP/GHS)

Press. Gas - Contains refrigerated gas; may cause cryogenic burns or injury.

Classification acc. to Directive 67/548/EEC & 1999/45/EC

Not classified as hazardous to health.
Asphyxiant in high concentrations.

Risk advice to man and the environment

Refrigerated liquefied gas. Contact with product may cause cold burns or frostbite.

In high concentrations may cause asphyxiation.

Label Elements

- Labelling Pictograms



- Signal word

Warning

- Hazard Statements

H281 Contains refrigerated gas; may cause cryogenic burns or injury.
EIGA-As Asphyxiant in high concentrations.

- Precautionary Statements

Precautionary Statement Prevention

P282 Wear cold insulating gloves/face shield/eye protection.

Precautionary Statement Reaction

P336+P315 Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Precautionary Statement Storage

P403 Store in a well-ventilated place.

Precautionary Statement Disposal

3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation: Substance.

Components/Impurities

Argon, refrigerated liquid.

CAS No: 7440-37-1

Index-Nr.: -

EC No (from EINECS): 231-147-0

REACH Registration number:

Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.

Contains no other components or impurities which will influence the classification of the product.

4 FIRST AID MEASURES

Inhalation

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

Skin/eye contact

Immediately flush eyes thoroughly with water for at least 15 minutes. In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. Obtain medical assistance.

Ingestion

Ingestion is not considered a potential route of exposure.

5 FIRE FIGHTING MEASURES

Specific hazards

Exposure to fire may cause containers to rupture/explode. Non flammable.

Hazardous combustion products

None.

Suitable extinguishing media

All known extinguishants can be used.

Specific methods

Move container away or cool with water from a protected position. If possible, stop flow of product.

Special protective equipment for fire fighters

In confined space use self-contained breathing apparatus.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions

Evacuate area. Use protective clothing. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Ensure adequate air ventilation.

Environmental precautions

Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Try to stop release.

Clean up methods

Ventilate area.

7 HANDLING AND STORAGE

Handling

Suck back of water into the container must be prevented. Do not allow backfeed into the container. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.

Safety data sheet Argon, refrigerated liquid.

Creation date : 27.01.2005
Revision date : 20.12.2010

Version : 4.0

DE / E

SDS No. : 8301
page 2 / 2

Storage

Keep container below 50°C in a well ventilated place. Observe "Technische Regeln Druckgase (TRG) 280 Ziffer 5"

8 EXPOSURE CONTROLS/PERSONAL PROTECTION**Personal protection**

Protect eyes, face and skin from liquid splashes. Ensure adequate ventilation.

9 PHYSICAL AND CHEMICAL PROPERTIES**General information**

Appearance/Colour: Colourless liquid.

Odour: None.

Important information on environment, health and safety

Molecular weight: 40,00 g/mol

Melting point: -189 °C

Boiling point: -186,00 °C

Critical temperature: -122,3 °C

Flammability range: Not applicable.

Relative density, gas: 1,38

Relative density, liquid: 1,4

Solubility mg/l water: 61 mg/l

Other data

Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

10 STABILITY AND REACTIVITY**Stability and reactivity**

Liquid spillages can cause embrittlement of structural materials.

11 TOXICOLOGICAL INFORMATION**General**

No known toxicological effects from this product.

12 ECOLOGICAL INFORMATION**General**

Can cause frost damage to vegetation.

13 DISPOSAL CONSIDERATIONS**General**

Do not discharge into any place where its accumulation could be dangerous. Contact supplier if guidance is required.

EWC Nr. 16 05 05

14 TRANSPORT INFORMATION**ADR/RID**

Class	2	Classification Code	3A
-------	---	---------------------	----

UN number and proper shipping name

UN 1951 Argon, refrigerated liquid

UN 1951 Argon, refrigerated liquid

Labels	2.2	Hazard number	22
--------	-----	---------------	----

Packing Instruction	P203
---------------------	------

IMDG

Class	2.2
UN number and proper shipping name	
UN 1951 Argon, refrigerated liquid	
Labels	2.2
Packing Instruction	P203
EmS	FC, SV

IATA

Class	2.2
UN number and proper shipping name	
UN 1951 Argon, refrigerated liquid	
Labels	2.2
Packing Instruction	P202

Other transport information

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Ensure adequate ventilation. Avoid transport on vehicles where the load space is not separated from the driver's compartment. Before transporting product containers ensure that they are firmly secured. Ensure compliance with applicable regulations.

15 REGULATORY INFORMATION**Water pollution class**

Not polluting to waters according to VwVwS from 27.07.2005.

16 OTHER INFORMATION

Ensure all national/local regulations are observed. The hazard of asphyxiation is often overlooked and must be stressed during operator training. Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Advice

Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted. Details given in this document are believed to be correct at the time of going to press.

Further information

Linde safety advice

No. 11	Transport of gas receptacles in vehicles
No. 1	Handling of refrigerated liquid gases
No. 3	Oxygen deficiency
No. 7	Safe handling of gas cylinders and cylinder bundles

End of document